

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A hermetic storage system for containing wipes comprising:
  - a ~~flexible~~ container configured for holding the wipes, the container formed of a flexible film material and having an open first and a closed second end;
  - a ~~first member~~ collar coupled to the open first end of the ~~flexible~~ container, the collar being substantially rigid relative to the container and having a first connector surrounding an aperture; and
  - a ~~second member~~ cover releasably coupled to the collar and having a second connector;wherein the first connector includes one of a groove and a key and the second connector includes the other one of the groove and the key;
  - wherein the groove includes a first peripheral wall and a second peripheral wall, at least one of the first peripheral wall and the second peripheral wall being flexible and
  - wherein the first peripheral wall includes an indentation and a protrusion;
  - wherein the key has a width greater than the distance between the protrusion and the second peripheral wall; and
  - wherein the first connector and the second connector may be releasably engaged to provide a hermetic seal.
2. (Original) The hermetic storage system of Claim 1, wherein the key includes a lip.
3. (Original) The hermetic storage system of Claim 2, wherein the indentation is adjacent to said lip when said key is engaged with said groove.
4. (Original) The hermetic storage system of Claim 2, wherein the key and the second peripheral wall are closely adjacent to effect the hermetic seal.

5. (Original) The hermetic storage system of Claim 1, wherein one of the first peripheral wall and the second peripheral is configured to flex in response to the key passing between the protrusion and the second peripheral wall without manual deflection of either the first or second peripheral wall.

6. (Original) The hermetic storage system of Claim 5, wherein the second peripheral wall is configured to guide the key between the protrusion and the second peripheral wall as the second member and the first member are releasably engaged.

7. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~second member~~ cover is pivotally coupled to the ~~first member~~ collar.

8. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~second member~~ cover is independent from the ~~first member~~ collar.

9. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~flexible~~ container includes a cylindrical side wall extending from the closed second end, wherein the side wall surrounds the aperture.

10. (Original) The hermetic storage system of Claim 1, wherein the container includes at least two side walls hermetically coupled together and extending from the closed second end, wherein the side walls surround the aperture.

11. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~first member~~ collar includes a platform, wherein the platform supports the first connector and defines the aperture.

12. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~second member~~ cover is an impermeable member.

13. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~second member~~ cover defines a second aperture.

14. (Original) The hermetic storage system of Claim 13, wherein a third member covers the second aperture.

15. (Currently Amended) The hermetic storage system of Claim 14, wherein the third member is pivotally coupled to the ~~second member~~ cover.

16. (Currently Amended) The hermetic storage system of Claim 14, wherein the third member is independent of the ~~second member~~ cover.

17. (Currently Amended) The hermetic storage system of Claim 14, wherein the third member releasably engages with the ~~second member~~ cover to form a continuous hermetic seal around the second aperture.

18. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~flexible~~ container is hermetically coupled to the ~~first member~~ collar.

19. (Currently Amended) The hermetic storage system of Claim 18, wherein the ~~flexible~~ container is permanently coupled to the ~~first member~~ collar.

20. (Currently Amended) The hermetic storage system of Claim 18, wherein the ~~flexible~~ container is releasably coupled to the ~~first member~~ collar.

21. (Original) The hermetic storage system of Claim 1, wherein the first connector and second connector form a continuous hermetic seal when releasably engaged.

22. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~flexible container~~ flexible film material is made of at least one of a Polypropylene (PP) or Linear Low-Density Polyethylene (LLDPE).

23. (Currently Amended) The hermetic storage system of Claim 1, wherein the ~~flexible container~~ flexible film material is a composite material.

24. (Currently Amended) A hermetic storage system for containing wipes comprising:
- a ~~flexible~~ container configured for holding the wipes, the container formed of a flexible film material and having an open first end and a closed second end;
  - a ~~first member~~ collar coupled to the open first end and having a peripheral edge surrounding an aperture; and
  - an impermeable ~~second member~~ cover having a groove for releasable engagement with the peripheral edge;
- wherein the peripheral edge includes a lip and outwardly extends from the first member;
- wherein the groove includes a first peripheral wall and a second peripheral wall, at least one of the first peripheral wall and the second peripheral wall being flexible, the first peripheral wall including an indentation and a protrusion that defines a distance between the protrusion and the second peripheral wall that is less than the width of the lip; and
- wherein the peripheral edge and groove form a continuous hermetic seal when the peripheral edge and groove are releasably engaged.
25. (Currently Amended) The hermetic storage system of Claim 24, wherein the ~~flexible~~ container is hermetically coupled to the ~~first member~~ collar.
26. (Currently Amended) The hermetic storage system of Claim 25, wherein the ~~flexible~~ container is permanently coupled to the ~~first member~~ collar.
27. (Currently Amended) The hermetic storage system of Claim 25, wherein the ~~flexible~~ container is releasably coupled to the ~~first member~~ collar.
28. (Original) The hermetic storage system of Claim 24, wherein the distance between the protrusion and the second peripheral wall is substantially equal to the width of the peripheral edge.

29. (Original) The hermetic storage system of Claim 24, wherein one of the first peripheral wall and the second peripheral wall is configured to flex in response to the peripheral edge passing between the protrusion and the second peripheral wall without manual deflection of either the first or second peripheral wall.

30. (Currently Amended) A hermetic storage system for containing wipes comprising:

a ~~flexible~~ container configured for holding the wipes, the container formed of a flexible film material and having an open first end and a closed second end;

a ~~first member~~ collar coupled to the open first end and having a groove surrounding an aperture; and

a ~~second member~~ cover having a peripheral edge that includes a lip for releasable engagement with the groove;

wherein the groove includes a first peripheral wall and a second peripheral wall, at least one of said first peripheral wall and said second peripheral wall being flexible, the first peripheral wall including an indentation and a protrusion that defines a distance between the protrusion and the second peripheral wall that is less than the width of the peripheral edge; and

wherein the peripheral edge and groove form a continuous hermetic seal when the peripheral edge and groove are releasably engaged.

31. (Currently Amended) A hermetic storage system for containing wipes comprising:

a ~~flexible~~ container configured for holding the wipes, the container formed of a flexible film material and having an open first end and a closed second end;

a ~~first member~~ collar coupled to the open first end of the ~~flexible~~ container and having an upstanding projection approximate an aperture; and

a ~~second member~~ cover having a depending, circumferentially extending recess therein for releasable engagement with the upstanding projection;

wherein the upstanding projection includes a lip with a width greater than the width of the recess;

wherein the recess includes a peripheral wall and a wiper, at least one of the peripheral wall and the wiper being flexible to permit engagement of the upstanding projection and recess without manual deflection and wherein the first peripheral wall includes a protrusion that defines a distance between the protrusion and the wiper that is less than the width of the lip;

wherein the recess is configured to guide the lip between the protrusion and the wiper; and

wherein the second member and the first member form a hermetic seal when the projection and the recess are releasably engaged.

32. (Currently Amended) A hermetic storage system for containing wipes comprising:

a flexible containing means including a receptacle formed of a flexible film material;

a covering means for selectively enclosing the flexible containing means in a hermetically sealed position and an unsealed position;

wherein the flexible containing means further includes a ~~first member~~ collar coupled to a first end of the receptacle and having one of a groove and a key, and the covering means includes the other one of the groove and the key, wherein the groove includes a first peripheral wall and a second peripheral wall, at least one of said first peripheral wall and said second peripheral wall being flexible; wherein the first peripheral wall includes an indentation and a protrusion, and wherein the key has a width greater than the distance between the first and second peripheral wall.

33. (Original) The hermetic storage system of Claim 32, wherein the groove is configured to guide the key between the first peripheral wall and the second peripheral wall.

34. (Original) The hermetic storage system of Claim 32, wherein one of the first peripheral wall and the second peripheral wall flexes in response to the key passing between the protrusion and the second peripheral wall without manual deflection of either the first peripheral wall or the second peripheral wall.

35. (Currently Amended) A method for making a hermetic storage system for containing wipes comprising:

providing a ~~flexible~~ container configured for holding at least one wipe, the container formed of a flexible film material and having an open first end and a closed second end; and

coupling a ~~first-member~~ collar having a first connector surrounding an aperture to the open first end and

disposing an impermeable ~~second-member~~ cover having a second connector over the aperture; and

wherein the first connector includes one of a groove and a key and the second connector includes the other one of the groove and the key; wherein the groove includes a first peripheral wall and a second peripheral wall, at least one of the first peripheral wall and the second peripheral wall being flexible and wherein the first peripheral wall includes an indentation and a protrusion; wherein the key has a width greater than the distance between the protrusion and the second peripheral wall; and wherein the first connector and the second connector may be releasably engaged to provide a hermetic seal.

36. (Currently Amended) The method of Claim 35, further comprising pivotally connecting the ~~first-member~~ collar and the ~~second-member~~ cover.

37. (Currently Amended) The method of Claim 35, wherein the ~~second-member~~ cover is integral with the ~~first-member~~ collar.

38. (Currently Amended) The method of Claim 35, wherein the ~~second-member~~ cover is independent from the ~~first-member~~ collar.

39. (Original) The method of Claim 35, wherein the first connector and the second connector form a continuous hermetic seal when releasably engaged.

40. (Original) A method of providing a wipe container comprising: providing the hermetic storage system of Claim 35; and inserting at least one wipe within the storage system.



41. (Currently Amended) The method of Claim 40, further comprising engaging the ~~second member~~ cover with the ~~first member~~ collar to provide a hermetically sealed environment for the wipes.